


STROKE SERIES SS4

YOU'VE HAD A STROKE



Chest
Heart &
Stroke
Scotland



Chest Heart & Stroke Scotland



**Chest, Heart &
Stroke Scotland, is
an independent
medical charity
which aims to
improve the quality
of life for people in
Scotland affected by
chest, heart and
stroke illnesses,
through medical
research, advice and
information and
support in the
community.**

FUNDRAISING

CHSS is an independent Scottish medical charity. We receive no Government funding and rely entirely on the Scottish public to raise the £5 million a year we need to help people with chest, heart and stroke illness throughout Scotland.

RESEARCH

We are one of Scotland's largest charitable funders of medical research, with a programme worth over £600,000 a year. We fund research projects throughout Scotland into all aspects of the prevention, diagnosis, treatment and social impact of chest, heart and stroke illness.

PERSONAL SUPPORT GRANTS

We provide small grants to people in financial difficulty, because of chest, heart or stroke illness, for items ranging from disability equipment and household goods to respite care and holidays. Applications are submitted through local Social Work Departments, or health professionals.

VOLUNTEER STROKE SERVICE (VSS)

We give support to people whose communication skills are impaired after a stroke. The VSS provides weekly group meetings and home visits for patients.

CHSS NURSES

Our nurses provide independent practical advice and support to those who have chest, heart and stroke illnesses, their families, carers and health professionals. There are dedicated nursing services in Fife, Grampian, Highland, Lanarkshire, Lothian and Dumfries and Galloway. There is also a Scotland wide nurse led Advice Line (0845) 077 6000. Calls are charged at a local call rate (out of hours answerphone). We have a wide range of booklets, factsheets and videos on chest, heart and stroke illnesses.

COMMUNITY SUPPORT NETWORK

CHSS provides support to affiliated chest, heart and stroke clubs through the Community Support Network. The clubs are independent and are run by local volunteers. The groups provide a range of activities and offer people support, stimulation and companionship in a friendly and relaxed environment. Please ask for more information.

**FOR FURTHER INFORMATION ABOUT ANY
OF THE SERVICES ABOVE PLEASE CONTACT
HEAD OFFICE BY PHONING 0131 225 6963 OR
VISIT THE CHSS WEBSITE: www.chss.org.uk**

Introduction	2
What is a stroke?	2
Why me?	3
How stroke affects you	4
How you may feel	5
Communication problems	6
Tests and investigations	7
Drug treatment:	8
• Thrombolysis or ‘clot-busting’ treatment	8
• Other drug treatment	9
Your recovery	10
Early mobilisation	11
Rehabilitation	11
Reducing the risk of a further stroke	13
Advice for family	13
Help from CHSS	15

YOU’VE HAD A STROKE

INTRODUCTION

This booklet is designed to answer the immediate questions and worries after having a stroke.

Other more detailed information is available for when you require it, listed in the back of this booklet.

WHAT IS A STROKE?

A stroke happens when the blood supply to part of the brain is interrupted.

There are two ways a stroke happens:

A clot. This is called an ischaemic stroke.





*A bleed. This is called
a haemorrhage.*

- Some cells will recover.
- Some cells will be damaged or die.
- Other cells may take over from damaged cells.

WHY ME?

Strokes come on suddenly and without warning.

It is quite normal for the shock, disbelief and sense of loss to affect you and your family like a grief reaction.

HOW STROKE AFFECTS YOU

How stroke affects you depends on:

- Which part of the brain has been affected
- How severe the stroke is
- Your age and general health before the stroke

Here are some of the most common effects:

- Weakness or loss of movement and feeling down one side of the body
- Unable to get up and walk
- Difficulty with communication – you may not be able to find the right words or understand what is being said
- Difficulty with swallowing – you may not be allowed to eat or drink right away
- Vision problems
- Thinking, concentration and memory problems

HOW YOU MAY FEEL

You may:

- Feel tired and sleepy
- Feel unsure about what is happening
- Feel worried about what the future holds
- Have difficulty remembering information
- Find it helpful to get reassurance and have someone to tell you what has been happening.

The nurse in charge can arrange for you or your family to speak to any member of the team. The doctors, nurses and therapists can help you and can provide more information.



COMMUNICATION PROBLEMS

Communication problems after a stroke include:

- Difficulty understanding what is being said
- Difficulty making yourself understood
- Problems with written word

The general term for communication problems is Aphasia. Frustration is huge especially because of the suddenness of the onset.

You might find other forms of expression come out such as swearing or singing. This is common and people will help and support you with this difficulty.

A careful assessment needs to be made by the speech and language therapist who can show you ways to work on improving communication difficulties.

Chest, Heart & Stroke Scotland

Aphasia Friendly Resources From CHSS

"Your Stroke Journey" is designed for people who have had a stroke and have aphasia. It comes in three short booklets dealing with Early Signs, Rehabilitation and Moving On. Up to £10 free.

Aphasia ID Card
This card is credit card sized and can be kept handy in a purse, wallet or pocket. It provides information as to whether needs that the holder has some communication difficulty due to a stroke. Name and telephone number can be added if desired. Free.

Conversation Support Book
This is an A5 ring bound book with laminated pages that square fit. It contains 44 pages on a variety of topics to help support a conversation with someone who has difficulty communicating due to stroke. Individual copies are free to people in Scotland, otherwise £5 each.

Factsheet
ES Helping communication after a stroke factsheet. Tips and advice on how to improve communication when one person has speech and language problems following a stroke. Up to 100 free.

61 North Castle Street, Edinburgh EH3 3JY

Phone: 0131 225 8963
Fax: 0131 220 4112
Email: publications@chss.org.uk

Aphasia Friendly Resources from CHSS

The use of picture cards and boards can be helpful, as well as establishing at least a 'yes' and 'no' with the person affected. Thumbs up or down can easily be developed into a simple conversation.

TESTS AND INVESTIGATIONS

Your doctor or consultant will arrange some tests to:

- Find out what caused the stroke
- Confirm the symptoms are definitely due to the stroke
- Find out if you have had a clot or a bleed
- Find out what area of the brain was affected and how severely it was affected

You may have all or some of the following tests:

- Blood tests
- Chest x-ray
- ECG (electrocardiogram): recording of the electrical activity of the heart
- Brain scan: CT or MRI
- Carotid Doppler scan: ultrasound scan of the arteries in your neck
- Echocardiogram: ultrasound scan of your heart



DRUG TREATMENT

How your stroke is treated depends on:

- what type of stroke you have had
- any other medical conditions you may have
- the results of your brain scan

Thrombolysis – ‘clot-busting’ treatment

- Thrombolysis can only be given in hospitals equipped to offer this treatment.
- Only suitable if you have had a scan which shows you have not had a bleed.
- Not suitable for everybody- doctors will have to decide.
- Clot- busting drugs have to be given within 4.5 hours of symptoms starting.
- The drugs are given through a drip into your arm and you will have to be closely observed for 24 hours after.

Antiplatelets – blood thinning treatment

Most people who have not had a bleed will commence aspirin 300mg within 48 hours for at least 14 days.

Other drug treatment

- These drugs are commonly given after a stroke and are mainly to do with **reducing the risk** of another stroke.



Antiplatelets – used to thin the blood to help prevent clots forming.

Most people with ischaemic stroke will continue with a combination of low dose aspirin 75mg daily and dipyridamole 200mg modified release twice daily.

Clopidogrel 75mg daily can be used as an alternative if aspirin or aspirin and dipyridamole can't be tolerated due to sensitivity.

Statins – used to lower cholesterol. Most people with an ischaemic stroke will be given statins even if their cholesterol is not high. Those already taking statins should continue treatment.

Anticoagulants – prevent blood clots from forming. Warfarin may be given to people with ischaemic stroke who are found to be in atrial fibrillation.

Anti-hypertensives – used to control high blood pressure. Ace inhibitors and diuretics may be given to people with ischaemic stroke even if their blood pressure is not raised. After a bleed, treatment with ace inhibitors and diuretics should also be considered if blood pressure is raised.

Medicines can be provided in other forms if you have difficulty swallowing.

It is very important to take your medicines regularly, as prescribed by your doctor.

YOUR RECOVERY

It is probably unrealistic to expect that everything will go back to exactly the way it was before your stroke.

Everybody's recovery is different. No two strokes are the same.

- some people make a complete or near recovery within weeks or months
- about half will take months to years to gradually achieve or near complete recovery
- less than a third will not make a full recovery

EARLY MOBILISATION

Early mobilisation is about preventing complications through movement and correct positioning.

It is important because it:

- helps prevent limbs becoming stiff and sore
- helps recover posture, balance and movement
- makes it easier to eat and drink
- reduces risk of blood clots in the legs
- reduces risk of developing chest infections

REHABILITATION

The aim of rehabilitation is to become as independent as possible within the limitations of your stroke.

Where?

Rehabilitation can be carried out in:

- a Stroke Unit in hospital
- a Rehabilitation Unit in hospital
- a Community Hospital
- an Out Patient Clinic
- a Day Hospital
- your home by Community Therapists

Who is involved?

- All the people involved in your recovery and care are called the Multi Disciplinary Team (MDT).
- The team will involve you and discuss your care and progress with you.
- The team meets regularly to give everyone the opportunity to discuss your progress.
- Rehabilitation after a stroke is best achieved by a team approach.

How long for?

This is almost impossible to predict.
Every stroke is different.

There will come a point when formal therapy will end and you will have to continue working on your recovery on your own, using the skills and practising the exercises you have been taught.



REDUCING THE RISK OF FURTHER STROKE

See the CHSS booklet 'Reducing the risk of stroke' for more information.

- Know and control your cholesterol
- Know and control high blood pressure
- Control diabetes

Think about making lifestyle changes:

- Stop smoking
- Keep as active as you can within your abilities
- Control your weight
- Eat a healthy, varied diet
- Drink alcohol moderately
- Avoid recreational drugs

CHSS has a variety of booklets and fact sheets with all the information you will need on these subjects or phone the Advice Line to speak to one of our nurses 0845 077 6000

ADVICE FOR FAMILY

Coping when a family member has had a stroke can be difficult.

Daily routines and commitments are upset and it is a worrying time.

If you have any particular concerns about discharge planning, finances, transport or family commitments please ask to speak to a social worker.

How you can help

Your help is important to the recovery process, particularly with support issues.

- The person affected by stroke will need a lot of verbal and physical reassurance.
- It is important to be aware of and sensitive to the effects of the stroke and be patient (particularly if speech has been affected).
- The person will tire easily so keep visits short but frequent.
- Try to avoid too many people visiting at one time.
- Take some breaks yourself – share the visiting commitment so that you maintain your health and energy levels



- Other members of the family and friends may not understand what's happened, and feel uncomfortable and embarrassed. Explain to them what's happened and what they can do to help.
 - Remember to keep the person up to date with what's been happening at home and with the family and pets.
 - Think about things to take into hospital to do and share.
- Speak to members of the staff team for more ideas on how to help or if you would like to be more involved.

HELP FROM CHSS

- CHSS Volunteer Stroke Service (VSS) provides a range of services in the community designed to meet communication needs of each individual.
The VSS has services available throughout Scotland, by referral from therapists.
- CHSS Stroke Nurses provide support during the transition from hospital to home and after.
- CHSS Stroke nurses are available in Fife, Forth Valley, Lothian, Grampian, Highlands, Dumfries and Galloway and Lanarkshire.
- CHSS Advice Line is staffed by nurses and provides confidential, independent advice.
 - You can phone, fax, text or email:
 - Phone: 0845 077 6000 (local call rate)
 - Fax: 0131 220 6313
 - Email: adviceline@chss.org.uk
 - Text “CHSS” followed by message to 07766 40 41 42
- Edinburgh Head Office,
65 North Castle Street, Edinburgh EH2 3LT
Tel. No. 0131 225 6963
- Inverness Regional Office
5 Mealmarket Close, Inverness IV1 1HT
Tel. No. 01463 713 433
- Visit our website at: www.chss.org.uk

**Phone/Textphone the Chest,
Heart & Stroke Advice Line for
confidential, independent advice
from one of our nurses.**



**The line is open
Monday – Friday
9.30 – 12.30 and 1.30 – 4.00**

0845 077 6000

Charged at local call rate.

Out of hours answering machine.

Email: adviceline@chss.org.uk

Fax: 0131 220 6313

The information contained in this booklet is based on current guidelines and is correct at time of printing. The content is also put out to peer, patient and expert review. If you have any comments about this booklet please contact Lorna McTernan, Health Information Manager, at the address on the facing page.

STROKE PUBLICATIONS

Booklets			
SS1	Stroke: a guide to your recovery	F9	Driving after a stroke
SS2	Stroke: a carers guide	F10	10 common questions asked after a stroke
SS3	Reducing the risk of stroke	F11	Mouthcare after a stroke
SS4	I've had a stroke	F12	Continence problems after stroke
SS5	Understanding TIA's	F14	Eye problems after stroke
SS6	Sex after stroke illness	F15	Memory problems after stroke
SS7	Stroke in younger people	F16	Positioning and stroke
SS8	Coming to terms with a stroke	F25	ACT FAST
SS9	Thinking and behaviour issues after stroke	F27	HRT and stroke
S10	Thrombolysis after stroke	F29	Swallowing problems after stroke
H4	Living with high blood pressure Aphasia Stroke Journey:	General Factsheets	
ASJ1	Part 1 Early days	F6	Holidays
ASJ2	Part 2 Rehabilitation	F7	Insurance companies
ASJ3	Part 3 Moving On	F8	Suggested booklet
	Conversation Support Book (one copy free) £5	F13	Air travel for people affected by chest, heart and stroke illness
Video/DVDs		F17	Diabetes: links with heart disease and stroke
	Stroke Matters £5	F18	Coping with tiredness
Stroke Factsheets		F19	MCNs & You
F2	Salt	F20	Illustrated risk factors (ethnic target)
F3	Cholesterol	F21	Illustrated risk factors (general target)
F4	Warfarin	F22	How to make the most of a visit to your doctor
F5	Helping communication after stroke	F23	Living with stress and anxiety
		F24	Healthy eating
		F26	Understanding help in the community
		F28	Glossary
		F30	Just move!

A full publication list is available from Head Office.
65 North Castle Street, Edinburgh EH2 3LT Tel: 0131 225 6963

ORDER FORM

Please send me the following:

TITLE	No. of copies

Up to 100 booklets free
Up to 100 factsheets free

Name: _____

Address: _____

Postcode: _____ Tel: _____

WHERE TO FIND US

Head Office

Tel: 0131 225 6963

Fax: 0131 220 6313

65 North Castle Street

Edinburgh EH2 3LT

Open Mon – Fri

Glasgow

Tel: 0141 633 1666

Fax: 0141 633 5113

103 Clarkston Road

Glasgow G44 3BL

Open Mon – Fri

Inverness

Tel: 01463 713 433

Fax: 01463 713 699

5 Mealmarket Close

Inverness IV1 1HT

Open Mon – Fri

Coffee shop open

Mon – Sat

Chest, Heart & Stroke Scotland is an autonomous Scottish Charity. We receive no government funding and rely entirely on public subscription to fulfil our programme of activities.

We need £5 million a year to fulfil our commitment to improving lives for Scottish people. We need your help and your money to help others. You can help by volunteering your time as a fundraiser, VSS volunteer or support your local Regional office. You can send a donation, remember us in your Will, take out a Deed of Covenant or organise a fundraising event.

Designed by Creative Link, North Berwick

If you would like to speak to one of our Advice Line nurses, in confidence, phone/minicom Chest, Heart and Stroke Scotland Advice Line

Monday – Friday

9.30am - 12.30 and 1.30pm - 4.00pm

0845 077 6000

Fax us: 0131 220 6313

Email us: advice@chss.org.uk

Text us: text chss followed by your message to 07766 40 41 42

Chest, Heart & Stroke Scotland and CHSS are operating names of The Chest, Heart & Stroke Association Scotland, a registered Charity No. SCO18761

August 2009

**Chest
Heart &
Stroke
Scotland**

